

CFL.Decor 7W Golf Ball

7W B15/B22/E14/E27 Compact Fluorescent Lamp



Product Overview

Kosnic's CFL Decor lamps have an opal glass cover to meet customer demand for low-energy products that retain the appearance of traditional incandescent lamps. The Kosnic Decor lamps are ideal for decorative and free-burning settings in hospitality, office and domestic lighting applications.

Features

- Opal glass cover for traditional appearance.
- Popular B15, B22, E14 and E27 caps.
- Save energy up to 80% compared with filament lamp.
- High lumen output.
- Long life of 8,000h.
- Amalgam mercury.

Safety and Maintenance

- Switch off supply before installing or removing lamp.
- Allow to cool before handling.
- Do not use in totally enclosed fittings as this will reduce lamp life.
- Do not dispose of in household waste.
- Dispose of in appropriate section of local civic amenity site or recycling centre.

Specifications

Product Code	KCF07GLF/B15-827	KCF07GLF/B22-827	KCF07GLF/E14-827	KCF07GLF/E27-827
Lamp Cap	B15	B22	E14	E27
Lamp Shape	Golf	Golf	Golf	Golf
Nominal Power (W)	7	7	7	7
Voltage	220-240Vac 50-60Hz	220-240Vac 50-60Hz	220-240Vac 50-60Hz	220-240Vac 50-60Hz
Current (mA)	55	55	55	55
Nominal Luminous Flux (lm)	300	300	300	300
CCT (K)	2700K Warm White	2700K Warm White	2700K Warm White	2700K Warm White
Nominal Lifetime (h)	8000	8000	8000	8000
Dimmable	No	No	No	No
Switching Cycles	10000	10000	10000	10000
Warm-up time to 60% (S)	60	60	60	60
Length (mm)	84	84	84	84
Diameter (mm)	45	45	45	45
Mercury (mg)	2.0	2.0	2.0	2.0
Clean-up instructions	See website	See website	See website	See website
Retrofit	No	No	No	No
Equivalent Wattage (W)	30	30	30	30
Rated Power (W)	7.0	7.0	7.0	7.0
Rated Luminous Flux (lm)	300	300	300	300
Rated Lifetime (h)	8000	8000	8000	8000
Power Factor	0.55	0.55	0.55	0.55
Rated Peak Candelas (cd)	40	40	40	40
Lumen Maintenance Factor at Nominal Lifetime	0.75	0.75	0.75	0.75
CRI	83	83	83	83
Start Time (s)	0.20	0.20	0.20	0.20
Ambient Temperature Range (°C)	-20 to 40	-20 to 40	-20 to 40	-20 to 40

Energy Label


Manufacturer	Kosnic	Kosnic	Kosnic	Kosnic
Product Code	KCF07GLF/B15-827	KCF07GLF/B22-827	KCF07GLF/E14-827	KCF07GLF/E27-827
Energy Class	A	A	A	A
Energy Consumption (kWh/1000h)	7.00 (7)*	7.00 (7)*	7.00 (7)*	7.00 (7)*

* The kWh/1000h value published on the energy label is required to be rounded up to an integer according to the EU implementing directive on Energy Labelling. The value to 2 decimal places is given for reference.


Product Markings

Manufacturer	Kosnic	Kosnic	Kosnic	Kosnic
Product Code	KCF07GLF/B15-827	KCF07GLF/B22-827	KCF07GLF/E14-827	KCF07GLF/E27-827
Voltage	220-240Vac 50-60Hz	220-240Vac 50-60Hz	220-240Vac 50-60Hz	220-240Vac 50-60Hz
Nominal Power (W)	7	7	7	7
Current (mA)	55	55	55	55
CE Mark	Yes	Yes	Yes	Yes
WEEE Mark	Yes	Yes	Yes	Yes
Batch Code	Yes	Yes	Yes	Yes


Dimensions




KCF07GLF/B22




P45-B22(IEC60630)




KCF07GLF/B15




P45-B15(IEC60630)




KCF07GLF/E27



P45-E27(IEC60630)



KCF07GLF/E14



P45-E14(IEC60630)

Photometric Information

2700K

